

15

Date: Tuesday, 3/11/2008 11:27:15 AM  
 User: Kim Johnston

## Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : REAR LOCKER EXTENDER  
 Job Number : 37800  
 Estimate Number : 10719  
 P.O. Number :  
 This Issue : 3/11/2008 S.O. No. :  
 Prsht Rev. : NC  
 First Issue : / / Type : PURCHASED PARTS  
 Previous Run : 37799  
 Written By :  
 Checked & Approved By :  
 Comment : Est Rev: Q 03.12.01 Reformat KJ/RF

Part Number : D350604041  
 Drawing Number : D2273/D350-604-041  
 Project Number : N/A  
 Drawing Revision : D/A1  
 Material :  
 Due Date : 4/12/2008 Qty: 1 Um: Each

## Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 DC DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Photocopy bluefile and create labels per PPP D350-604-041CHG001

08/04/11 08/4/10 JD

2.0 PG PURCHASING



Comment: PURCHASING

Issue P/O: 5898

C208/03/12 ①

Description: D350-604-041 Rear locker extender.

Supplier: Delastek.

Certification of Conformity and process sheet from Delastek is required.

4 x 2600-4

Camlock stud

ship to Delastek B m106864 C208/03/13 ④

3.0 26004 Camlock stud



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

4.0 D350604041P rear locker extender



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)  
 Rear Locker Extender

5.0 PACKAGING #1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Receive and Inspect for transit damage. Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

12/9/11 ①

# Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Tuesday, 3/11/2008 11:27:15 AM  
User: Kim Johnston

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: REAR LOCKER EXTENDER

Job Number: 37800

Part Number: D350604041

Job Number:



Seq. #: Machine Or Operation: Description :

6.0 QC5 INSPECT WORK TO CURRENT STEP



Comment: Check hole locations to template. DT 8824 Check process sheet and audit.

08/04/10

7.0 D2268 Placard



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick:

Qty Part# Description Batch  
1 D2268 Placard

36823

08/04/10 (X)

8.0 PACKAGING 1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Pick Packing Kit

Place D2268 decal as per Dwg D350-604-041.

08/4/10

9.0 D2269 Placard



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Pick: for shipment with part

Qty Part Number Description Batch  
1 D2269 Placard

37244

08/04/10 (X)

10.0 QC4 INSPECT 100% KITS FOR COMPLETENESS



Comment: INSPECT 100% KITS FOR COMPLETENESS

08/04/10

11.0 PACKAGING 1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and pack for shipping as per PPP D350-604-041

Location: 50

PPP Rev: 2

08/4/11 50 (X)

12.0 QC21 FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/04/11

Job Completion



MF 08-01-11

# Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



DESIGN BW	DRAWN BY UP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01		TITLE REAR LOCKER EXTENDER ASSEMBLY	SCALE NTS
A	02.04.01	NEW ISSUE	
AI	RF 02.04.23	ADD D2728-1 DECAL + ORIENTATION NOTE REAR LOCKER EXTENDER (D2273)	

RELEASED  
02.04.03



### D350-604-041 REAR LOCKER EXTENDER


NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE AI

Copyright © 2002 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN JB	DRAWN BY <i>JP</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D2273	REV. D SHEET 1 OF 1
DATE 02.04.01	TITLE 350 REAR LOCKER EXTENDER		SCALE NTS
B	96.05.27	RE-DRAWN	
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING	
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH	

**RELEASED**  
02.04.03 *[Signature]***NOTES:**

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO  $\phi 0.257$  (4 PLACES).
- 4) MATERIALS:  
RESIN: DERAKANE 470-36/411/510A40  
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS  
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:  
101-WHITE GLOSS GELCOAT # GEL 944W005.  
102-9oz ALL OVER.  
103-18oz ALL OVER.  
104-18oz RE-INFORCE FRONT FLANGE-EXTENDING-2"-ON-SIDES.  
105-9oz ALL OVER.  
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO 37800

**Copyright © 1996 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DELASTEK COMPOSITES INC.  
2699, 5ième Avenue  
Local 14, PORTE -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\*Fax (819) 533-3494 \*\*

# PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	12580
Customer #	DART

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

Dart Aerospace Ltd.  
1270, Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

Ship to:

Dart Aerospace Ltd.  
1270, Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200

Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson		
PURO COLLECT		Origin		Net30 days		Claude Lessard, ext. 233		
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #		
09/04/2008	12/03/2008	5717	Chantal Lavoie		PO00005898			
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description				
1	0	1	DKC134-0003	Rear Locker Extender D350-604-041P B37800 Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D Job: 42785				U de M : Each
1	0	1	DKC134-0003	Rear Locker Extender D350-604-041P B37801 Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D Job: 42786				U de M : Each
1	0	1	DKC134-0003	Rear Locker Extender D350-604-041P B37802 Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D Job: 42787				U de M : Each

*It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.*

Continued on next page

Accepted by:

*[Signature]*

Quality department

AQ357



☐ Cust. ☐ Adm. ☐ Quality ☐ Ship.



DELASTEK COMPOSITES INC.  
2699, 5ième Avenue  
Local 14, PORTE -A-  
Grand-Mère, Québec G9T 5K7  
Can \*\*Fax (819) 533-3494 \*\*

# PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	12580
Customer #	DART

Telephone: (819) 533-5788

Warehouse: MAIN

Bill to:

Dart Aerospace Ltd.  
1270, Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

Ship to:

Dart Aerospace Ltd.  
1270, Aberdeen Street  
Hawkesbury, Ontario K6A 1K7  
Canada

Telephone: 613-632-5200


Contact: Linda Lacelle

Ship via		F.O.B.		Terms		Salesperson	
PURO COLLECT		Origin		Net30 days		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #		GST/PST #
09/04/2008	12/03/2008	5717	Chantal Lavoie		PO00005898		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Rear Locker Extender D350-604-041P B37803 Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D Job: 42788  U de M : Each			
1	0	1	DKC134-0003	Rear Locker Extender D350-604-041P B37804 Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D Job: 42789  U de M : Each			

*It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.*

☐ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

  
Quality department AQ-357





Date: Mercredi, 2008-03-12 11:14:47  
 Utilisateur: Marc Dubé

## Feuille de Procédé

Client : DART	Dart Aerospace Ltd.	Nom Dessin : REAR LOCKER EXTENDER
Numéro Job : 42785		Numéro Article : DKC134-0003
Numéro Soumission : 1708		Numéro Dessin : D350-604-041 & D2273
Numéro B.A. :		Projet Numéro : DKC134
Cette fois : 2008-03-12	No. B.V. :	Révision dessin : A & D
Prsht Rev. : NC		Matériel : Résine Derakane 470-36/411/510
Prem. fois : - -	Type :	Date Dûe : 2008-03-19
Job précédente : 42784		Qté: 1 Udm: UNITE



Écrit par : \_\_\_\_\_  
 Vérifié & Approuvé par : \_\_\_\_\_  
 Commentaires : N° de pièce Laminée Dart Aerospace: D2273  
 N° de pièce Assemblée Dart Aerospace: D350-604-041  
 N° de pièce Delastek Aeronautique: DKA362-0004  
 N° de pièce Delastek Composites: DKC134-0003

Process Sheet Rév.: 12 Modification des séquence pour y inclure  
 les N° d'instruction de fabrication.

## Produit additionnel

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

1.0	AC0303	Frekote 44NC
-----	--------	--------------

Commentair Qty.: 0.017 UNITE(s)/Unit Total : 0.017 UNITE(s)  
 Frekote 44NC

2.0	PRÉPARATION 3	PRÉPARATION DU MATÉRIEL DART
-----	---------------	------------------------------



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs  
 PRÉPARATION DU MOULE

Nettoyer le moule à l'aide d'un chiffon humide et sécher à l'air. Selon I.F. # DKC134-0003-5.

Note: Afin que le frekote agisse pleinement, le moule doit être libre de toute  
 contamination, enlever tout contaminants à l'aide de Frekote PMC, PMC  
 Plus ou tout autre solvant efficace. Il est permis d'utiliser un abrasif (Doux)  
 afin d'enlever tout accumulation de résine sur le moule.

Appliquer 2 couches de Frekote 44-NC à l'aide du chiffon propre en laissant sécher pendant 15 minutes  
 entre les couches. Le séchage de la dernière couche doit être de 3 heures à température de la pièce avant  
 d'appliquer le Gel Coat.

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_



Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Date: Mercredi, 2008-03-12 11:14:47

Utilisateur: Marc Dubé

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 42785-

Numéro Article: DKC134-0003

Numéro Job:



# Séq.:

Machine ou Opération:

Description :

3.0

AAC0273

Gel Coat Blanc N° Gel 944W005

Commentair Qty.: 1.575 KILOGRAMME(s)/Unit Total : 1.575 KILOGRAMME(s)  
Gel Coat Blanc N° Gel 944W005 N° de Lot: 1-6562-1

4.0

AAC0275

Catalyst N° DDM-9

Commentair Qty.: 0.0066 PINTE(s)/Unit Total : 0.0066 PINTE(s)  
Catalyst N° DDM-9 N° de Lot: 1-6270-1

5.0

AC0260

Acetone

Commentair Qty.: 0.200 UNITE(s)/Unit Total : 0.200 UNITE(s)  
Acetone

6.0

PRÉPARATION 3

PRÉPARATION DU MATÉRIEL DART



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs  
PRÉPARATION DU MATÉRIEL

Faire la préparation du matériel selon I.F. # DKC134-0003-5 :

Dans une quantité de Gel Coat N° 944W005 ajouter 2% de Catalyst N° DDM-9 et diluer à l'aide de 10% d'acétone.

Quantité: 1 Date: 25-03-08 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

7.0

GEL COAT.

APPLICATION DE GEL COAT




Commentair Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs  
APPLICATION DE GEL COAT

Selon I.F. 134-0003

À l'aide d'un fusil à gel coat appliquer une couche entre 15 et 20 millièmes de Gel Coat sur le moule N° DKG 362-010 et laisser sécher pendant un minimum de 2 heures avant de faire le lay-up, mais ne pas dépasser 24 heures de séchage selon l'instruction de travail N° Tec-70.

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Autocontrôle de fabrication. ( Visuel du Gel Coat )

Quantité: 1 Date: 25-03-08 Sceau: 

Date: Mercredi, 2008-03-12 11:14:47  
Utilisateur: Marc Dubé

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.  
Numéro Job: 42785

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

8.0 AAC0324 Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 1.680 KILOGRAMME(s)/Unit Total : 1.680 KILOGRAMME(s)  
Résine (411B7530) 411-350 promo. 75min. N° de Lot: 1-20064-1

9.0 AAC0275 Catalyst N° DDM-9

Commentair Qty.: 0.0063 PINTE(s)/Unit Total : 0.0063 PINTE(s)  
Catalyst N° DDM-9

N° de Lot: 1-6270-1

10.0 AAC0326 9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentair Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)  
9.7 oz 7781 Weave "S" glass #FG-778150-125Y N° de Lot: 2-6476-1

11.0 AAC0277 Fiberglass 18oz Type "E" N° WR1850

Commentair Qty.: 1.14 UNITE(s)/Unit Total : 1.14 UNITE(s)  
Fiberglass 18oz Type "E" N° WR1850 N° de Lot: 1-6476-3


12.0 PRÉPARATION 3 PRÉPARATION DU MATÉRIEL DART



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs  
PRÉPARATION DU MATÉRIEL

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Autocontrôle de fabrication. ( Selon gabarits )

Quantité: 1 Date: 17-03-08 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

13.0 LAMINAGE LAMINAGE PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs  
FAIRE LE LAMINAGE DES TISSUS

Selon I.F. 134-0003

Date: Mercredi, 2008-03-12 11:14:47  
Utilisateur: Marc Dubé

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.  
Numéro Job: 42785

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

S'assurer de ne pas trapper d'air entre les rangs


Inscrire les informations suivantes:

Humidité: 21% ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Température: 73°F ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Heure: 1:10 ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Date: 25-03-08 ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_

Quantité: 1 Date: 25-03-08 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

14.0 AAC0324

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 KILOGRAMME(s)/Unit Total: 0.150 KILOGRAMME(s)  
Résine (411B7530) 411-350 promo. 75min.

N° de Lot: 1-20064-1

15.0 AAC0275

Catalyst N° DDM-9

Commentair Qty.: 0.0063 PINTE(s)/Unit Total: 0.0063 PINTE(s)  
Catalyst N° DDM-9

N° de Lot: 1-6270-1

16.0


FINITION 3

FINITION PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run: 0.0000Hrs  
FINITION PIÈCE DART

Injecter les bulles d'air selon I.F.# DKC134-0003-5.

Quantité: -1- Date: 25-03-08 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Date: Mercredi, 2008-03-12 11:14:47  
Utilisateur: Marc Dubé

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 42785

Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

17.0 DÉMOULAGE 1

DÉMOULAGE PIÈCE DART



Commentaire Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

DÉMOULAGE DES PIÈCES

Selon I.F.# DKC134-0003-5.

Faire le démoulage de la pièce en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager .

Autocontrôle de fabrication.( Visuel )

Quantité: 1 Date: 26-03-08 Sceau:

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

18.0 TRIMAGE 3

TRIMAGE COMPOSITES DART



Commentaire Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

TRIMAGE DE FINITION

Selon I.F.134-0002

Autocontrôle de fabrication.( Visuel et dimensionnel selon le dessin )

Quantité: 1 Date: 26-03-08 Sceau:

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

19.0 AAC0683

Dupont Primer N° 7704S

Commentaire Qty.: 0.3330 UNITE(s)/Unit Total: - 0.3330 UNITE(s)

Dupont Primer N° 7704S N° de Lot: 1-CA40-1

Mercrèdi, 2008-03-12 11:14:47

iteur: Marc Dubé

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job: 42785

iméro Job:



Description :

Séq.: Machine ou Opération:

Dupont Activator - Reducer Chromabase N° 7775S

20.0 AAC0685

Commentair Qty.: 0.0667 UNITE(s)/Unit Total: 0.0667 UNITE(s)  
Dupont Activator - Reducer Chromabase N° 7775S

1-6473-1

APPLICATION DE PRIMER

21.0

PRIMER



Commentair Setup: 0.00Hrs/ Run: 0.0000Hrs Total Run: 0.0000Hrs  
APPLICATION DE PRIMER

Appliquer le primer selon I.G. 0008



Quantité: 1 Date: MAR 27 2008 Sceau:

Quantité: Date: Sceau:

Quantité: Date: Sceau:

Quantité: Date: Sceau:

22.0

AAC0280

Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentair Qty.: 4 UNITE(s)/Unit Total: 4 UNITE(s)

Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-6569-1

23.0

AAC0103

Washer 2600-LW (1127700)

Commentair Qty.: 4.0 UNITE(s)/Unit Total: 4.0 UNITE(s)

Washer 2600-LW (1127700)

N° de Lot: 2-5845-5

24.0

ASSEMBLAGE 3

ASSEMBLAGE GÉNÉRALE DART



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run: 0.2500Hrs  
ASSEMBLAGE GÉNÉRALE DES PIÈCES

Selon I.F. 134-0004

Démasker la pièce.

Assembler les quatre (4) Camlock Stud N° 2600-4 à l'aide des Lock Washer N° 2600-LW. Selon l'instruction de travail N° I.G.#Pose de stud.

Autocontrôle de l'assemblage (Visuel)



Quantité: 1 Date: 28-03-08 Sceau:

Quantité: Date: Sceau:

Quantité: Date: Sceau:

Quantité: Date: Sceau:

Date: Mercredi, 2008-03-12 11:14:47  
Utilisateur: Marc Dubé

## Feuille de Procédé

Client: DART Dart Aerospace Ltd.  
Numéro Job: 42785

Nom Dessin: REAR LOCKER EXTENDER  
Numéro Article: DKC134-0003

Numéro Job:



# Séq.: Machine ou Opération: Description :

25.0 IDENTIFICATION4 IDENTIFICATION PIÈCES DART




Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs  
IDENTIFICATION DES PIECES

Selon I.F. 134-0005

Faire l'identification de la pièce: N° de pièce D350-604-041  
N° de Work Order: \_\_\_\_\_

L'identification doit être vers l'extérieur.

Quantité: 1 Date: 28-03-08 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_


Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

26.0 INSPECTION 3 INSPECTION PIÈCE DART



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs  
INSPECTION GÉNÉRALE

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.


Quantité: 1 Date: 28 mars 08 Sceau:  Initiales: IV

27.0 EMBALLAGE EMBALLAGE ET ENTREPOSAGE



Commentair Setup: 0.00Hrs/ Run: 0.0000Min Total Run : 0.0000Hrs  
EMBALLAGE ET ENTREPOSAGE

Faire l'emballage de la pièce dans le contenant approprié.

Quantité: 1 Date: 31-03-08 Sceau: 

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_

Quantité: \_\_\_\_\_ Date: \_\_\_\_\_ Sceau: \_\_\_\_\_